

TOP SECRET 4E842660




Fig. 1


| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| CRAFTSMAN | | |

FIG. 2

| Graded data | Item | Name | Manufacture | Mode | Specification |
|-------------|-------------------------|------|-------------|------|---------------|
| A 1 | Electric characteristic | M 1 | M | S | D |
| | Burn-in | N 1 | N | T | E |
| | | | | | |
| A 2 | | | | | |
| A 3 | | | | | |
| • | | | | | |
| • | | | | | |
| • | | | | | |

Fig. 2

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FILE | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |



F i g . 3

09974334-101201

FOOTNOTES

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

| Graded data | Item | Name | Manufacture | Mode | Specification |
|-------------|-----------------------------|------|-------------|------|---------------|
| A 1 | Registration error checking | J 1 | J | X | F |
| | Critical dimension checking | K 1 | K | Y | G |
| | Defect qualities | L 1 | L | Z | H |
| | | | | | |
| A 2 | | | | | |
| A 3 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Fig. 4

TOP SECRET




Fig. 5